

L Number	Hits	Search Text	DB	Time stamp
1	1	delphi-\$.as. and riddle-kyle-\$.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 11:14
2	6	delphi-\$.as. and riddle-kyle.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 11:21
3	5	lifter and pin near2 housing and tower and flange	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 11:50
4	3	(US-6497207-\$ or US-6668776-\$ or US-6513470-\$).did.	USPAT	2004/05/01 11:50
5	5	lifter and pin near2 housing and tower and flange\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 11:50
6	3	((US-6497207-\$ or US-6668776-\$ or US-6513470-\$).did.) and (lifter and pin near2 housing and tower and flange\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 12:02
7	0	((US-6497207-\$ or US-6668776-\$ or US-6513470-\$).did.) and (lifter and pin near2 housing and tower and flange\$1)) and coupl\$3 and helical	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 11:51
8	0	((US-6497207-\$ or US-6668776-\$ or US-6513470-\$).did.) and (lifter and pin near2 housing and tower and flange\$1)) and coupl\$3 and compression	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 11:51
9	3	((US-6497207-\$ or US-6668776-\$ or US-6513470-\$).did.) and (lifter and pin near2 housing and tower and flange\$1)) and spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 12:15
10	0	123/90.198F.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 12:15
11	1075	123/198F.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 12:15
12	2864	123/90.15,90.16.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 12:19
13	1764	123/90.48,90.52,90.53,90.55,90.57-90.59.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 12:21
14	0	123/90.198F.ccls. and 123/90.48,90.52,90.53,90.55,90.57-90.59.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 12:21
15	35	123/198F.ccls. and 123/90.48,90.52,90.53,90.55,90.57-90.59.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 12:34
16	247	123/198F.ccls. and 123/90.15,90.16.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 12:34
17	115	(123/198F.ccls. and 123/90.15,90.16.ccls.) and (lifter or tappet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 12:35
18	24	((123/198F.ccls. and 123/90.15,90.16.ccls.) and (lifter or tappet)) and spring with (collar or flange)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 12:35

19	6	(US-6257185-\$ or US-6497207-\$ or US-6321704-\$ or US-6668776-\$ or US-6513470-\$ or US-6196175-\$).did.	USPAT	2004/05/01 12:43
20	154	123/90.15,90.16.ccls. and 123/90.48,90.52,90.53,90.55,90.57-90.59.ccls.	USPAT	2004/05/01 12:43
21	4	(123/90.15,90.16.ccls. and 123/90.48,90.52,90.53,90.55,90.57-90.59.ccls.) and tower	USPAT	2004/05/01 12:44
22	4	123/90.48,90.52,90.53,90.55,90.57-90.59.ccls. and tower and spring and (collar or flange\$1)	USPAT	2004/05/01 12:45
23	148	123/90.48,90.52,90.53,90.55,90.57-90.59.ccls. and spring and (collar or flange\$1)	USPAT	2004/05/01 12:46
24	70	(123/90.48,90.52,90.53,90.55,90.57-90.59.ccls. and spring and (collar or flange\$1)) and (extend\$3 or protrud\$3) near3 (bore or housing or collar or flange\$1)	USPAT	2004/05/01 12:47
-	3	"60141985"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 17:01
-	2	"6668776"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:02
-	11	"6513470"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:11
-	7356	delphi-\$.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/01 11:14
-	0	delphi-\$.as. and ((switchable adj valve) adj lifter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:12
-	0	((switchable adj valve) adj lifter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:12
-	0	((switchable adj valve) near2 lifter)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:12
-	431	switchable adj valve	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:13
-	0	delphi-\$.as. and (switchable adj valve)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:13
-	0	(switchable adj valve) and 123/90.59.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:13
-	6	delphi-\$.as. and spring adj tower	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:20
-	3	delphi-\$.as. and tower adj flange	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:19
-	58	hendriksma-\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:19
-	5	hendriksma-\$.in. and spring adj tower	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:21

-	31	spath-mark-\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:21
-	6	spath-mark-\$.in. and spring adj tower	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:22
-	0	(hendriksma-\$.in. or spath-mark-\$.in.) and switchable adj valve	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:23
-	10	(hendriksma-\$.in. or spath-mark-\$.in.) and switchable	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:28
-	21	delphi-\$.as. and switchable	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/26 18:28
-	11	"6513470"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 17:11
-	2	"6595174"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 17:11
-	23	"6196175"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/29 17:12